Colloids and Surfaces, 67 (1992) ix–x
Elsevier Science Publishers B.V., Amsterdam

Contents

(Abstracted/indexed in: Chemical Abstracts; Current Contents; Physical, Chemical & Earth Sciences; INSPEC; PASCAL/CNRS)

Vol. 67 (1992)

Special Issue: A Collection of Invited Papers Dedicated to the Memory of Professor Kenjiro Meguro

Professor Kenjiro Meguro vii

Micellization of cationic fluorocarbon and hydrocarbon surfactant mixture: diethanolheptadecafluoro-2-undecanolmethylammonium chloride and dodecyltrimethylammonium chloride mixed system
K. Tamori, A. Ishikawa, K. Kihara, Y. Ishii and K. Esumi (Tokyo, Japan) 1

Preparation of colloidal platinum/palladium alloy particles from non-ionic microemulsions: characterization and catalytic behaviour
R. Touroude, P. Girard and G. Maire (Strasbourg, France), J. Kizling, M. Boutonnet-Kizling and P. Stenius (Stockholm, Sweden) 9

Solubilization of spiropyran in aqueous NaBr solutions of dodecyltrimethylammonium bromide
S. Ikeda and Y. Saso (Nagoya, Japan) 21

Solution properties of mixed fluorocarbon–hydrocarbon surfactant systems
M. Abe, T. Yamaguchi, Y. Shibata and H. Uchiyama (Chiba, Japan), N. Yoshino (Tokyo, Japan), K. Ogino (Chiba, Japan) and S.D. Christian (Norman, OK, USA) 29

Expansion of mixed anionic–non-ionic micelles caused by solubilization of organic solutes
M. Abe, Y. Tokuoka, H. Uchiyama and K. Ogino (Chiba, Japan), J.F. Scamehorn and S.D. Christian (Norman, OK, USA) 37

Preparation and reduction kinetics of uniform copper particles from copper(I) oxides with hydrogen
S. Hamada, Y. Kudo and T. Tojo (Tokyo, Japan) 45

Miscibility of dodecylammonium chloride and octylsulfinylethanol in the adsorbed film and micelle
K. Motomura, T. Kanda, K. Abe, N. Todoroki, N. Ikeda and M. Aratono (Fukuoka, Japan) 53

Surface electric characteristics of guinea-pig polymorphonuclear leucocytes
T. Nagahama, N. Muramatsu, H. Ohshima and T. Kondo (Tokyo, Japan) 61

Chirality effects on ^{1}H and ^{13}C NMR chemical shifts for Aerosol OT in reverse micelles assisted by line shape simulations and two-dimensional pulse techniques
A. Yoshino, N. Sugiyama, H. Okabayashi, K. Taga and T. Yoshida (Nagoya, Japan) and O. Kamo (Tokyo, Japan) 67

Interfacial properties and emulsion stability in fluorinated oil–non-fluorinated oil–surfactant(s) systems
M. Morita (Shiga, Japan), M. Matsumoto (Kyoto, Japan), S. Usui (Sendai, Japan), T. Abe (Nagoya, Japan), N. Denkov, O. Velev and I.B. Ivanov (Sofia, Bulgaria) 81

Flocculation of polymer latex dispersion induced by a polyelectrolyte
T. Nashima, H. Sudo and K. Furusawa (Ibaraki, Japan) 95

Physicochemical characteristics of monodispersed chromium hydroxide particles
R. Sprycha, J. Jablonski and E. Matijević (Potsdam, NY, USA) 101

Some electrokinetic behaviour of tin tailing slimes
C.C. Ho, K.C. Lee and E.B. Yeap (Kuala Lumpur, Malaysia) 109

Capillary meniscus interaction between a microparticle and a wall
V.N. Paunov, P.A. Kralchevsky, N.D. Denkov and I.B. Ivanov (Sofia, Bulgaria) and K. Nagayama (Tsukuba, Japan) 119

Universality in film stratification due to colloid crystal formation
D.T. Wasan and A.D. Nikolov (Chicago, IL, USA), P.A. Kralchevsky and I.B. Ivanov (Sofia, Bulgaria) 139

Phase behaviour of systems of a non-ionic surfactant and a non-ionic polymer in aqueous solution
K.-W. Zhang, G. Karlström and B. Lindman (Lund, Sweden) 147
Reverse micelles as a tool for elucidating the conformation of protamines in sperm-head nucleoproteins of some fish
G. Ebert (Marburg an der Lahn, Germany), N. Nishi (Sapporo, Japan) and U. Zölzer (Marburg an der Lahn, Germany) 157
Photodegradation of surfactants catalyzed by a TiO_2 semiconductor
H. Hidaka and J. Zhao (Tokyo, Japan) 165
Solubilization of copper(II) complexes of *N*-alkyl-*β*-alanines in their micellar solutions
A. Nakamura (Nagoya, Japan), M. Koshinuma (Chiba, Japan) and K. Tajima (Yokohama, Japan) 183
Aggregation states and polymerizabilities of amphiphilic monomer molecules in aqueous systems with different water contents
Y. Shibasaki and K. Fukuda (Urawa, Japan) 195
Superhigh surface area determination of microporous solids
K. Kaneko and C. Ishii (Chiba, Japan) 203
Study of mixed aggregates in aqueous solutions of sodium dodecyl sulfate and dodecyltrimethylammonium bromide
N. Kamenka and M. Chorro (Montpellier, France), Y. Talmon and R. Zana (Haifa, Israel) 213
The different phases and their macroscopic properties in ternary surfactant systems of alkyldimethylamine oxides, intermediate chain *n*-alcohols and water
H. Hoffmann and C. Thunig (Bayreuth, Germany) and M. Valiente (Madrid, Spain) 223
On the self-consistent field theory of surfactant micelles
F.A.M. Leermakers and J. Lyklema (Wageningen, The Netherlands) 239
Micellar properties and solubilization of cholesterol in aqueous binary mixed solutions consisting of sodium cholate and non-ionic surfactant
M. Ueno, H. Asano, N. Gotoh, S. Uchida and H. Sasamoto (Tokyo, Japan) 257
Depletion flocculation of concentrated latex suspensions by surfactant micelles
M.K. Packman and Th.F. Tadros (Bracknell, UK) 265